

10/604,312  
Amdt. Dated Sep. 23, 2004  
Resp. to Off. Action dated Sep. 20, 2004

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1 (Currently Amended). A golf club head comprising:  
a club head body having a front face with a recess therein;  
an insert disposed within the recess, the insert comprising a body with an exterior surface, an interior surface and a perimeter defining the thickness of the body, the perimeter having a plurality of integral tabs extending therefrom that engage the club head body, the insert composed of a thermoplastic polyurethane material;  
wherein each of the plurality of tabs is compressible, and each of the plurality of tabs has a straight portion and a curved portion, the straight portion disposed between the curved portion and the perimeter, and the curved portion extending further than the straight portion to define an undercut between the curved portion and the perimeter.

2 (Original). The golf club head according to claim 1 wherein each of the plurality of tabs is disposed a predetermined distance apart from each other and the golf club head further comprises an epoxy disposed between each of the plurality of tabs.

3 (Original). The golf club head according to claim 1 further comprising means for attaching the insert within the recess of the body.

10/604,312

Amdt. Dated Sep. 23, 2004

Resp. to Off. Action dated Sep. 20, 2004

4 (Original). The golf club head according to claim 3 wherein the attachment means is an epoxy adhesive applied to the interior surface of the insert.

5 (Canceled).

6 (Original). The putter-type golf club head according to claim 1 wherein the thermoplastic polyurethane material is selected from the group consisting of 4,4'-diphenylmethane diisocyanate-polyester thermoplastic polyurethanes and a para-phenylene diisocyanate-polyether thermoplastic polyurethane.

7 (Original). The golf head according to claim 1 further comprising a protective coating on the exterior surface of the insert.

8 (Currently Amended). A golf club head comprising:

a club head body having a front face with a recess therein;

an insert disposed within the recess, the insert comprising a body with an exterior surface, an interior surface and a perimeter defining the thickness of the body, the perimeter having a plurality of integral tabs extending therefrom that engage the club head body, the insert composed of a thermoplastic polyurethane material;

The golf club head according to claim 1 wherein each of the plurality of tabs is compressible, and each of the plurality of tabs is a substantially hemispherical body projecting from the perimeter and spaced a predetermined distance apart from each other.

10/604,312

Amdt. Datcd Sep. 23, 2004

Resp. to Off. Action dated Sep. 20, 2004

9 (Currently Amended). A golf club head comprising:

a club head body having a front face with a recess therein;

an insert disposed within the recess, the insert comprising a body with an exterior surface, an interior surface and a perimeter defining the thickness of the body, the perimeter having a plurality of integral tabs extending therefrom that engage the club head body, the insert composed of a thermoplastic polyurethane material;

~~The golf club head according to claim 1~~ wherein the insert has a trapezoidal shape.

10 (Currently Amended). A golf club head comprising:

a club head body having a front face with a recess therein;

an insert disposed within the recess, the insert comprising a body with an exterior surface, an interior surface and a perimeter defining the thickness of the body, the perimeter having a plurality of integral tabs extending therefrom that engage the club head body, the insert composed of a thermoplastic polyurethane material;

~~The golf club head according to claim 1~~ wherein the recess is defined by a frontal recess wall and an edge wall substantially perpendicular to the frontal recess wall, the edge wall defining the depth and area of the recess, the depth of the recess being greater than the thickness of the insert.

11 (Canceled).

10/604,312  
Amdt. Dated Sep. 23, 2004  
Resp. to Off. Action dated Sep. 20, 2004

12 (Currently Amended). The golf club head according to claim 10 + wherein an adhesive is disposed between the interior surface of the insert and the frontal recess wall of the recess.

13 (Currently Amended). The golf club head according to claim 10 + wherein the perimeter of the insert comprises a plurality of straight portions interconnected by a plurality of curved portions.

14 (Currently Amended). The golf club head according to claim 10 + wherein the thickness of the insert is between 0.125 and 0.5 inches.

15 (Currently Amended). The golf club head according to claim 10 + wherein the insert is between 10 to 25 percent of the volume of the club head.

16 (Currently Amended). The golf club head according to claim 10 + wherein the insert is between 1 to 5 percent of the weight of the club head.

17 (Currently Amended). The golf club head according to claim 10 + wherein the insert is between 55 to 75 percent of the area of the face of the club head.

18 (Canceled).

10/604,312

Amdt. Dated Sep. 23, 2004

Resp. to Off. Action dated Sep. 20, 2004

19 (Currently Amended). The putter-type golf club head according to claim 10 +9 wherein the thermoplastic polyurethane material is selected from the group consisting of 4,4'-diphenylmethane diisocyanate-polyester thermoplastic polyurethanes and a para-phenylene diisocyanate-polyether thermoplastic polyurethane.